SIZE LIST

A. W. HASTINGS & CO.

DOORS,

WINDOWS

AND BLINDS.

142 FRIEND STREET,

BOSTON.

TD LAT 1900 A.W. Hastings...
ATHENAEUM OF PHILADELPHIA

1761=AA c.1900
17th P. C. Valentino 10/91

A. B. HASTINGS. E. G. TILTON.

A. W. HASTINGS & CO.,

SIZE LIST

DOORS, WINDOWS, AND BLINDS.

142 FRIEND STREET,
BOSTON

Members of Master Builders' Association,
166 Devonshire Street, Boston.

DEAR SIR.

In handing you our new Size List, we would call your attention to the many additions to our sizes in same, making our stock the largest (both in quantity and variety) kept in Boston.

Having added largely to our storage facilities, we are prepared to fill orders promptly and at lowest prices.

We make a specialty of furnishing

PLATE GLASS WINDOWS

...AND...

HARD WOOD DOORS.

Estimates furnished promptly.
Telephone connections.

A. W. HASTINGS & CO.
A. B. Hastings—E. G. Tilton.

Established 1857.

Members of Master Builders' Association.

#24485652 TD Cat
10-2-91 2-9-04 1900

When Ordering read this:

Do not take it for granted that we know what you want, unless you are explicit, but please observe the following directions in giving orders, as it will often avoid errors and unnecessary delays.

Doors.

Orders for doors should state size, thickness, quality, and if moulded or O. G. raised panel.

Windows.

Orders for windows should state size of glass, number of lights, thickness of sash, and quality of glass. A window indicates two pieces; a sash one piece; all windows are $\frac{3}{8}$ inch lip, unless otherwise ordered.

Blinds.

Orders for blinds should state size of glass in windows and number of lights; if one-half R. or stationary, No. 1 or No. 2, and if for wood or brick building.

Window Frames.

Orders for frames should state size of glass in windows, number of lights, and width of pulley style.

Door Frames.

Orders for door frames should state size and thickness of doors, also width of jambs.

DOORS

CONSTANTLY ON HAND.

O. G. RAISED PANEL.

WIDTH.					THICKNESS.		
Ft.	In.		Ft.	In.	In.	In.	In.
2	0	by	6	0	1¼	....	....
2	0	"	6	2	1¼	....	....
2	0	"	6	4	1¼	....	....
2	0	"	6	6	1¼	....	1⅓
2	0	"	6	8	1¼	....	1½
2	2	"	6	0	1¼	....	....
2	2	"	6	2	1¼	....	....
2	2	"	6	4	1¼	....	....
2	2	"	6	6	1¼	....	1⅓
2	2	"	6	8	1¼	....	1⅓
2	4	"	6	0	1¼	....	....
2	4	"	6	2	1¼	....	....
2	4	"	6	4	1¼	....	....
2	4	"	6	6	1¼	....	1⅓
2	4	"	6	8	1¼	....	1½
2	6	"	6	0	1¼	....	....
2	6	"	6	2	1¼	....	....
2	6	"	6	4	1¼	....	....
2	6	"	6	6	1¼	1⅜	1½
2	6	"	6	8	1¼	1⅜	1½
2	8	"	6	6	1¼	....	....
2	8	"	6	8	1¼	1⅜	1½

Odd-size Doors, in Pine or Hard Wood, made to order at short notice.

Door Frames of all sizes, also Hard-Pine Thresholds for Outside Doors always on hand.

WHITE WOOD and PINE DOORS, of which we keep a large number in stock. Moulded both sides.

Width.					Thickness.			
Ft.	In.		Ft.	In.	In.	In.	In.	In.
2	0	by	6	0	1¼	....	1⅓	....
2	0	"	6	2	1¼	....	1⅓	....
2	0	"	6	4	1¼	....	1⅓	....
2	0	"	6	6	1¼	....	1⅓	....
2	0	"	6	8	1¼	....	1⅓	....
2	0	"	6	10	. .	....	1⅓	....
2	0	"	7	0	....	....	1⅓	....
2	2	"	6	0	1¼	....	1⅓	....
2	2	"	6	2	1¼	....	1⅓	....
2	2	"	6	4	1¼	....	1⅓	....
2	2	"	6	6	1¼	....	1⅓	....
2	2	"	6	8	1¼	....	1⅓	....
2	2	"	6	10	....	....	1⅓	....
2	2	"	7	0	....	....	1⅓	....
2	2	"	7	6	....	....	1⅓	....
2	4	"	6	0	1¼	....	1⅓	....
2	4	"	6	2	1¼	....	1⅓	....
2	4	"	6	4	1¼	....	1⅓	....
2	4	"	6	6	1¼	....	1⅓	....
2	4	"	6	8	1¼	....	1⅓	....
2	4	"	6	10	....	....	1⅓	....
2	4	"	7	0	....	....	1⅓	....
2	4	"	7	6	....	....	1⅓	....
2	6	"	6	0	1¼	....	1⅓	....
2	6	"	6	2	1¼	....	1⅓	....
2	6	"	6	4	1¼	....	1⅓	....
2	6	"	6	6	1¼	....	1⅓	1⅜
2	6	"	6	8	1¼	....	1⅓	1⅜
2	6	"	6	10	....	....	1⅓	1⅜
2	6	"	7	0	....	....	1⅓	1⅜
2	6	"	7	6	....	....	1⅓	1⅜

DOOR FRAMES, ALL SIZES.

Doors moulded one side not in stock.

White Wood and Pine Doors.—*Continued.*

Width.					Thickness.			
Ft.	In.		Ft.	In.	In.	In.	In.	In.
2	8	by	6	0	1¼	....	1½	....
2	8	"	6	2	....	....	1½	....
2	8	"	6	4	....	....	1½	....
2	8	"	6	6	1¼	....	1½	....
2	8	"	6	8	1¼	....	1½	1¾
2	8	"	6	10	....	....	1½	1¾
2	8	"	7	0	....	....	1½	1¾
2	8	"	7	6	....	....	1½	1¾
2	10	"	6	6	....	....	1½	....
2	10	"	6	8	....	....	1½	....
2	10	"	6	10	....	....	1½	1¾
2	10	"	7	0	....	....	1½	1¾
2	10	"	7	6	....	....	1½	1¾
3	0	"	6	6	....	....	1½	....
3	0	"	6	8	....	....	1½	....
3	0	"	6	10	....	....	1½	....
3	0	"	7	0	....	....	1½	1¾
3	0	"	7	6	....	....	1½	1¾
3	0	"	8	0	....	....	1½	1¾

SCREEN DOORS.

Width.					Thickness.		
Ft.	In.		Ft.	In.	In.	In.	In.
2	6	by	6	6	....	....	....
2	8	"	6	8	....	....	....
2	10	"	6	10	....	....	....
3	....	"	7	....	....	....	....

SASH DOORS, 9 Lights, Moulded both sides.

Width.					Thickness.		
Ft.	In.		Ft.	In.	In.	In.	In.
2	6	by	6	6	1¼	1½	....
2	6	"	6	8	....	1½	....
2	8	"	6	8	1¼	1½	1¾
2	10	"	6	10	....	1½	1¾
3	0	"	7	0	....	1½	1¾

SASH DOORS, 3 Lights in top, Moulded both sides.

Width.					Thickness.		
Ft.	In.		Ft.	In.	In.	In.	In.
2	6	by	6	6	1¼	1½	....
2	6	"	6	8	....	1½	....
2	8	"	6	8	1¼	1½	1¾
2	10	"	6	10	....	1½	1¾
3	0	"	7	0	....	1½	1¾

CYPRESS DOORS, in stock.

Width.					Thickness.		
Ft.	In.		Ft.	In.	In.	In.	In.
2	0	by	6	0	....	1½	....
2	0	"	6	2	....	1½	....
2	0	"	6	4	....	1½	....
2	0	"	6	6	1¼	1½	....
2	0	"	6	8	1¼	1½	....
2	2	"	6	0	....	1½	....
2	2	"	6	2	....	1½	....
2	2	"	6	4	....	1½	....
2	2	"	6	6	1¼	1½	....
2	2	"	6	8	1¼	1½	....
2	4	"	6	0	....	1½	....
2	4	"	6	2	....	1½	....
2	4	"	6	4	....	1½	....
2	4	"	6	6	1¼	1½	....
2	4	"	6	8	1¼	1½	....
2	4	"	6	10	....	1½	....
2	4	"	7	0	....	1½	....
2	6	"	6	0	....	1½	....
2	6	"	6	2	....	1½	....
2	6	"	6	4	....	1½	....
2	6	"	6	6	1¼	1½	....
2	6	"	6	8	1¼	1½	....
2	6	"	6	10	....	1½	....
2	6	"	7	0	....	1½	....
2	8	"	6	6	....	1½	....
2	8	"	6	8	1½	1¼	....

Cypress Doors.—*Continued.*

Width.				Thickness.		
Ft.	In.		Ft.	In.	In.	In.	In.
2	8	by	6	10	....	1½	....
2	8	"	7	0	....	1½	....
2	10	"	6	10	....	1½	....
2	10	"	7	0	....	1½	....
3	0	"	7	0	....	1½	1¾

CEDAR DOORS, 5 Cross Panels.

Width.				Thickness.	Width.				Thickness.
Ft.	In.		Ft.	In.	In.	Ft.	In.		Ft.	In.	In.
2	0	by	6	0	1½	2	8	by	6	8	1½
2	2	"	6	0	1½	2	4	"	6	10	1½
2	4	"	6	0	1½	2	6	"	6	10	1½
2	6	"	6	0	1½	2	8	"	6	10	1½
2	0	"	6	4	1½	2	10	"	6	10	1½
2	2	"	6	4	1½	2	6	"	7	0	1½
2	4	"	6	4	1½	2	8	"	7	0	1½
2	6	"	6	4	1½	2	10	"	7	0	1½
2	0	"	6	6	1½	3	0	"	7	0	1½
2	2	"	6	6	1½	2	8	"	6	8	1¾
2	4	"	6	6	1½	2	6	"	6	10	1¾
2	6	"	6	6	1½	2	8	"	6	10	1¾
2	8	"	6	6	1½	2	10	"	6	10	1¾
2	0	"	6	8	1½	2	6	"	7	0	1¾
2	2	"	6	8	1½	2	8	"	7	0	1¾
2	4	"	6	8	1½	2	10	"	7	0	1¾
2	6	"	6	8	1½	3	0	"	7	0	1¾

WHITE WOOD AND CYPRESS DOORS, 5 Cross Panels.

Width.				Thickness.		Width.				Thickness.	
				W W	Cypr.					W W	Cypr.
Ft.	In.		Ft.	In.	In.	In.	Ft.	In.		In.	In.
2	0	by	6	0	1½	1½	2	0	by	6	6	1½	1½
2	0	"	6	2	1½	1½	2	0	"	6	8	1½	1½
2	0	"	6	4	1½	1½	2	0	"	6	10	1½	1½

White Wood and Cypress Doors, 5 Cross Panels.—*Continued.*

Width.				Thickness.		Width.				Thickness.	
				W W	Cypr.					W W	Cypr.
Ft.	In.		Ft.	In.	In.	In.	Ft.	In.		In.	In.
2	0	by	7	0	1½	1½	2	6	by	6	2	1½	1½
2	2	"	6	0	1½	1½	2	6	"	6	4	1½	1½
2	2	"	6	2	1½	1½	2	6	"	6	6	1½	1½
2	2	"	6	4	1½	1½	2	6	"	6	8	1½	1½
2	2	"	6	6	1½	1½	2	6	"	6	10	1½	1½
2	2	"	6	8	1½	1½	2	6	"	7	0	1½	1½
2	2	"	6	10	1½	1½	2	8	"	6	6	1½	1½
2	2	"	7	0	1½	1½	2	8	"	6	8	1½	1½
2	4	"	6	0	1½	1½	2	8	"	6	10	1½	1½
2	4	"	6	2	1½	1½	2	8	"	7	0	1½	1½
2	4	"	6	4	1½	1½	2	10	"	6	8	1½	1½
2	4	"	6	6	1½	1½	2	10	"	6	10	1½	1½
2	4	"	6	8	1½	1½	2	10	"	7	0	1½	1½
2	4	"	6	10	1½	1½	3	0	"	7	0	1½	1½
2	4	"	7	0	1½	1½	2	8	"	6	8	1¾	1¾
2	6	by	6	0	1½	1½	3	0	"	7	0	1¾	1¾

Pairs FRONT DOORS, Raised Moulding one side.

Width.				Thickness.
Ft.	In.		Ft.	In.	In.
4	0	by	7	0	1¾
4	4	"	7	0	1¾
4	6	"	7	0	1¾
4	8	"	7	0	1¾
5	0	"	7	0	1¾
4	0	"	7	6	1¾
4	4	"	7	6	1¾
4	6	"	7	6	1¾
4	8	"	7	6	1¾
5	0	"	7	6	1¾
4	4	"	8	0	1¾
4	6	"	8	0	1¾
4	8	"	8	0	1¾
5	0	"	8	0	1¾

We keep a number of styles in stock. Any style made to order, Glazed and Unglazed.

Single FRONT DOORS, with Glass Panels.

Width.				Thickness.		
Ft.	In.		Ft.	In.	In.	In.
2	6	by	6	6	1½	1¾
2	8	"	6	8	1½	1¾
2	10	"	6	10	1½	1¾
2	10	"	7	0	. .	1¾
3	0	"	7	0	1½	1¾
3	0	"	7	6	. .	1¾
3	6	"	7	0	. .	1¾

In Pine, Cypress, Cedar and Oak.

Can furnish any style wanted, Glazed or Unglazed.

Common GLASS PANEL DOORS.

Width.				Thickness.	
Ft.	In.		Ft.	In.	In.
2	6	by	6	6	1½
2	8	"	6	8	1½
2	10	"	6	10	1½
3	0	"	7	0	1½

Flush Moulding, 4 and 5 panels, Glazed or Unglazed.

2,35

+ 800



F 1



F 2

F

Raised Moulding, One Side.
Flush Moulding, One Side.



F 3



F 4

F

Raised Moulding, One Side.
Flush Moulding, One Side.



F 5



F 6

F

Raised Moulding, One Side.
Flush Moulding, One Side.



F 7



F 8

F

Raised Moulding, One Side.
Flush Moulding, One Side.



F 9

F

Raised Moulding, One Side.
Flush Moulding, One Side.



C 1



C 2

C

Flush Moulding, Two Sides.



C 3



C 4

C

Flush Moulding, Two Sides.



C 5



C 6

C

Flush Moulding, Two Sides.



D 1

Raised Moulding, One Side.
Flush Moulding, One Side.



D 2

D

Raised Moulding, One Side.
Flush Moulding, One Side.



D 3

D

Raised Moulding, One Side.
Flush Moulding, One Side.



D 4

D

Raised Moulding, One Side.
Flush Moulding, One Side.

All doors shown on pages 10 to 21 are for glass.

Doors marked **F** are suitable for **Front** and **Store** doors.

Doors marked **C** are used for back doors to **Houses,** and for inside glass doors for Dwellings or Offices.

Doors marked **D** are suitable for **Front** or **Store** Doors.

We have these styles constantly in stock, and can glaze with any style or kind of glass. Any style or size door made to order. In ordering state letter and number of door and kind of glass wanted.

WINDOWS.

12-LIGHT WINDOWS.

Size of Glass.	Size of Sash.	Thickness.			No. lbs. to each weight 1⅜ 1½	
	Ft. In. Ft. In.	In.	In.	In.		
6 by 8	1 9⅝ by 3 1	1¼	..	..	..	..
7 " 9	2 0⅝ " 3 5	1¼	..	1½	..	..
8 " 10	2 3⅝ " 3 9	1¼	1⅜	1½	3½	4
8 " 11	2 3⅝ " 4 1	1¼	..	1½	..	4
8 " 12	2 3⅝ " 4 5	1¼	1⅜	1½	4	4
9 " 11	2 6⅝ " 4 1	1¼	..	1½	4	4½
9 " 12	2 6⅝ " 4 5	1¼	1⅜	1½	4½	5
9 " 13	2 6⅝ " 4 9	1¼	1⅜	1½	4½	5
9 " 14	2 6⅝ " 5 1	..	..	1½	5	5½
9 " 15	2 6⅝ " 5 5	..	..	1½	..	5½
9 " 16	2 6⅝ " 5 9	..	..	1½	..	6
10 " 12	2 9⅝ " 4 5	1¼	..	1½	..	5

12-LIGHT WINDOWS.—*Continued.*

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight $1\frac{3}{4}$ $1\frac{1}{2}$
	Ft. In. Ft. In.	In. In. In.	
10 by 13	2 $9\frac{3}{8}$ by 4 9	.. .. $1\frac{1}{2}$	.. $5\frac{1}{2}$
10 " 14	2 $9\frac{5}{8}$ " 5 1	$1\frac{1}{4}$ .. $1\frac{1}{2}$	$5\frac{1}{2}$ $5\frac{1}{2}$
10 " 15	2 $9\frac{5}{8}$ " 5 5	.. .. $1\frac{1}{2}$	$5\frac{1}{2}$ 6
10 " 16	2 $9\frac{5}{8}$ " 5 9	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
10 " 17	2 $9\frac{5}{8}$ " 6 1	.. .. $1\frac{1}{2}$	.. 7
10 " 18	2 $9\frac{5}{8}$ " 6 5	.. .. $1\frac{1}{2}$	.. 7
11 " 14	3 $0\frac{5}{8}$ " 5 1	.. .. $1\frac{1}{2}$	.. 9
11 " 15	3 $0\frac{5}{8}$ " 5 5	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
11 " 16	3 $0\frac{5}{8}$ " 5 9	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
11 " 17	3 $0\frac{5}{8}$ " 6 1	.. .. $1\frac{1}{2}$	.. 7
11 " 18	3 $0\frac{5}{8}$ " 6 5	.. .. $1\frac{1}{2}$	.. $7\frac{1}{2}$
12 " 14	3 $3\frac{5}{8}$ " 5 1	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
12 " 15	3 $3\frac{5}{8}$ " 5 5	.. .. $1\frac{1}{2}$	.. 7
12 " 16	3 $3\frac{5}{8}$ " 5 9	.. .. $1\frac{1}{2}$	.. $7\frac{1}{2}$
12 " 17	3 $3\frac{5}{8}$ " 6 1	.. .. $1\frac{1}{2}$	.. 8
12 " 18	3 $3\frac{5}{8}$ " 6 5	.. .. $1\frac{1}{2}$	.. $8\frac{1}{2}$
12 " 20	3 $3\frac{5}{8}$ " 7 1	.. .. $1\frac{1}{2}$	.. 9

4-LIGHT WINDOWS.

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight $1\frac{3}{4}$ $1\frac{1}{2}$
Ft. Ft.	Ft. In. Ft. In.	In. In. In.	
$10\frac{1}{2}$ by 18	2 $0\frac{5}{8}$ by 3 5	$1\frac{1}{4}$ .. $1\frac{1}{2}$	.. ..
$10\frac{1}{2}$ " 22	2 $1\frac{1}{4}$ " 4 $2\frac{1}{4}$	$1\frac{1}{4}$	.. ..
12 " 18	2 $3\frac{5}{8}$ " 3 5	.. .. $1\frac{1}{2}$	.. 4
12 " 20	2 $3\frac{5}{8}$ " 3 9	$1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$	$3\frac{1}{2}$ 4
12 " 22	2 $3\frac{5}{8}$ " 4 1	.. .. $1\frac{1}{2}$	.. 4
12 " 24	2 $3\frac{5}{8}$ " 4 5	$1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$	4 4
12 " 25	2 $4\frac{1}{4}$ " 4 $7\frac{1}{4}$	$1\frac{1}{4}$	.. ..
12 " 26	2 $3\frac{5}{8}$ " 4 9	.. .. $1\frac{1}{2}$	.. $4\frac{1}{2}$

To find size of Windows, add 3 5-8 inches to width of Glass, and 5 inches to height.
Blinds for Wooden Buildings, same width as Windows, and 1-2 inch longer.
For Brick Buildings, same width, and 2 inches longer than Windows.

Blinds for Brick not in stock. Outside Windows in stock.

4-LIGHT WINDOWS.—*Continued.*

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight $1\frac{3}{4}$ $1\frac{1}{2}$
	Ft. In. Ft. In.	In. In. In.	
12 by 28	2 $3\frac{5}{8}$ by 5 1	.. .. $1\frac{1}{2}$	.. 5
12 " 30	2 $3\frac{5}{8}$ " 5 5	.. .. $1\frac{1}{2}$	.. 5
$13\frac{1}{2}$ " 18	2 $6\frac{5}{8}$ " 3 5	.. .. $1\frac{1}{2}$	.. 4
$13\frac{1}{2}$ " 20	2 $6\frac{5}{8}$ " 3 9	.. .. $1\frac{1}{2}$	.. $4\frac{1}{2}$
$13\frac{1}{2}$ " 22	2 $6\frac{5}{8}$ " 4 1	.. .. $1\frac{1}{2}$	.. $4\frac{1}{2}$
$13\frac{1}{2}$ " 24	2 $6\frac{5}{8}$ " 4 5	$1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$	$4\frac{1}{2}$ 5
$13\frac{1}{2}$ " 26	2 $6\frac{5}{8}$ " 4 9	$1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$	$4\frac{1}{2}$ 5
$13\frac{1}{2}$ " 28	2 $6\frac{5}{8}$ " 5 1	.. $1\frac{3}{8}$ $1\frac{1}{2}$	5 $5\frac{1}{2}$
$13\frac{1}{2}$ " 30	2 $6\frac{5}{8}$ " 5 5	.. .. $1\frac{1}{2}$	.. $5\frac{1}{2}$
$13\frac{1}{2}$ " 32	2 $6\frac{5}{8}$ " 5 9	.. .. $1\frac{1}{2}$	.. 6
$13\frac{1}{2}$ " 34	2 $6\frac{5}{8}$ " 6 1	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
$13\frac{1}{2}$ " 36	2 $6\frac{5}{8}$ " 6 5	.. .. $1\frac{1}{2}$	.. 7
14 " 24	2 $7\frac{5}{8}$ " 4 5	.. .. $1\frac{1}{2}$	.. 5
14 " 26	2 $7\frac{5}{8}$ " 4 9	.. $1\frac{3}{8}$ $1\frac{1}{2}$	.. $5\frac{1}{2}$
14 " 28	2 $7\frac{5}{8}$ " 5 1	.. $1\frac{3}{8}$ $1\frac{1}{2}$	.. 6
14 " 30	2 $7\frac{5}{8}$ " 5 5	.. $1\frac{3}{8}$ $1\frac{1}{2}$	.. 6
14 " 32	2 $7\frac{5}{8}$ " 5 9	.. .. $1\frac{1}{2}$	.. 6
15 " 18	2 $9\frac{5}{8}$ " 3 5	.. .. $1\frac{1}{2}$	.. $4\frac{1}{2}$
15 " 20	2 $9\frac{5}{8}$ " 3 9	.. .. $1\frac{1}{2}$	.. $4\frac{1}{2}$
15 " 22	2 $9\frac{5}{8}$ " 4 1	.. .. $1\frac{1}{2}$	.. 5
15 " 24	2 $9\frac{5}{8}$ " 4 5	.. .. $1\frac{1}{2}$	.. 5
15 " 26	2 $9\frac{5}{8}$ " 4 9	.. .. $1\frac{1}{2}$	.. $5\frac{1}{2}$
15 " 28	2 $9\frac{5}{8}$ " 5 1	.. $1\frac{3}{8}$ $1\frac{1}{2}$	5 $5\frac{1}{2}$
15 " 30	2 $9\frac{5}{8}$ " 5 5	.. $1\frac{3}{8}$ $1\frac{1}{2}$	$5\frac{1}{2}$ 6
15 " 32	2 $9\frac{5}{8}$ " 5 9	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
15 " 34	2 $9\frac{5}{8}$ " 6 1	.. .. $1\frac{1}{2}$	.. 7
15 " 36	2 $9\frac{5}{8}$ " 6 5	.. .. $1\frac{1}{2}$	.. 7
16 " 26	2 $11\frac{5}{8}$ " 4 9	.. .. $1\frac{1}{2}$	.. $5\frac{1}{2}$
16 " 28	2 $11\frac{5}{8}$ " 5 1	.. .. $1\frac{1}{2}$	.. 6
16 " 30	2 $11\frac{5}{8}$ " 5 5	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
16 " 32	2 $11\frac{5}{8}$ " 5 9	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$
16 " 34	2 $11\frac{5}{8}$ " 6 1	.. .. $1\frac{1}{2}$	.. 7
16 " 36	2 $11\frac{5}{8}$ " 6 5	.. .. $1\frac{1}{2}$	.. 7
$16\frac{1}{2}$ by 28	3 $0\frac{5}{8}$ by 5 1	.. .. $1\frac{1}{2}$	.. 6
$16\frac{1}{2}$ " 30	3 $0\frac{5}{8}$ " 5 5	.. .. $1\frac{1}{2}$	.. $6\frac{1}{2}$

Outside Windows in stock.

4-LIGHT WINDOWS.—*Continued.*

Size of Glass.	Size of Sash.	Thickness.			No. lbs. to each weight 1¾ 1½	
	Ft. In. Ft. In.	In.	In.	In.		
16½ by 32	3 0⅝ by 5 9	..	..	1½	..	6½
16½ " 34	3 0⅝ " 6 1	..	..	1½	..	7
16½ " 36	3 0⅝ " 6 5	..	..	1½	..	7½
18 " 26	3 3⅝ " 4 9	..	..	1½	..	6
18 " 28	3 3⅝ " 5 1	..	..	1½	..	6½
18 " 30	3 3⅝ " 5 5	..	..	1½	..	7
18 " 32	3 3⅝ " 5 9	..	..	1½	..	7½
18 " 34	3 3⅝ " 6 1	..	..	1½	..	8
18 " 36	3 3⅝ " 6 5	..	..	1½	..	8½
20 " 26	3 7⅝ " 4 9	..	..	1½	..	7
20 " 28	3 7⅝ " 5 1	..	..	1½	..	7½
20 " 30	3 7⅝ " 5 5	..	..	1½	..	8
20 " 32	3 7⅝ " 5 9	..	..	1½	..	8½

3-LIGHT WINDOWS.

Two Lights in Top, One Light in Bottom.

For size see 4-light windows, same size glass.

Size of Glass.	Lights.	Thickness.	
		In.	
10½ by 18	3	1½	....
12 " 18	3	1½	....
12 " 20	3	1½	....
12 " 22	3	1½	....
12 " 24	3	1½	....
12 " 26	3	1½	....
12 " 28	3	1½	....
12 " 30	3	1½	....
12 " 32	3	1½	....
13½ " 18	3	1½	....
13½ " 20	3	1½	....
13½ " 22	3	1½	....

Blinds for the above Windows, Stationary and Half-Roll.

3-LIGHT WINDOWS.—*Continued.*

Size of Glass.	Lights.	Thickness.	
		In.	
13½ " 24	3	1½	....
13½ " 26	3	1½	....
13½ " 28	3	1½	....
13½ " 30	3	1½	....
13½ " 32	3	1½	....
13½ " 34	3	1½	....
13½ " 36	3	1½	....
14 " 24	3	1½	....
14 " 26	3	1½	....
14 " 28	3	1½	....
14 " 30	3	1½	....
15 " 18	3	1½	....
15 " 20	3	1½	....
15 " 22	3	1½	....
15 " 24	3	1½	....
15 " 26	3	1½	....
15 " 28	3	1½	....
15 " 30	3	1½	....
15 " 32	3	1½	....
15 " 34	3	1½	....
15 " 36	3	1½	....
16 " 26	3	1½	....
16 " 28	3	1½	....
16 " 30	3	1½	....
16 " 32	3	1½	....
16 " 34	3	1½	....
16 " 36	3	1½	....
18 " 24	3	1½	....
18 " 26	3	1½	....
18 " 28	3	1½	....
18 " 30	3	1½	....
18 " 32	3	1½	....
18 " 34	3	1½	....
18 " 36	3	1½	....
20 " 26	3	1½	....
20 " 28	3	1½	....
20 " 30	3	1½	....
20 " 32	3	1½	....

2-LIGHT WINDOWS.

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight.
	Ft. In. Ft. In.	In.	
12 by 18	1 3⅝ by 3 5	1½	2½
12 " 20	1 3⅝ " 3 9	1½	2½
12 " 22	1 3⅝ " 4 1	1½	2½
12 " 24	1 3⅝ " 4 5	1½	2½
12 " 26	1 3⅝ " 4 9	1½	3
12 " 28	1 3⅝ " 5 1	1½	3½
12 " 30	1 3⅝ " 5 5	1½	3½
13½ " 18	1 5⅛ " 3 5	1½	3
13½ " 20	1 5⅛ " 3 9	1½	3
13½ " 22	1 5⅛ " 4 1	1½	3
13½ " 24	1 5⅛ " 4 5	1½	3
13½ " 26	1 5⅛ " 4 9	1½	3
13½ " 28	1 5⅛ " 5 1	1½	3½
13½ " 30	1 5⅛ " 5 5	1½	3½
13½ " 32	1 5⅛ " 5 9	1½	4
14 " 24	1 5⅝ " 4 5	1½	3½
14 " 26	1 5⅝ " 4 9	1½	3½
14 " 28	1 5⅝ " 5 1	1½	3½
14 " 30	1 5⅝ " 5 5	1½	4
15 " 18	1 6⅛ " 3 5	1½	3
15 " 20	1 6⅛ " 3 9	1½	3
15 " 22	1 6⅛ " 4 1	1½	3
15 " 24	1 6⅛ " 4 5	1½	3
15 " 26	1 6⅛ " 4 9	1½	3
15 " 28	1 6⅛ " 5 1	1½	3½
15 " 30	1 6⅛ " 5 5	1½	3½
15 " 32	1 6⅛ " 5 9	1½	4
15 " 34	1 6⅛ " 6 1	1½	4½
15 " 36	1 6⅛ " 6 5	1½	4½
16 " 18	1 7⅛ " 3 5	1½	3
16 " 20	1 7⅛ " 3 9	1½	3
16 " 24	1 7⅛ " 4 5	1½	3½
16 " 26	1 7⅛ " 4 9	1½	3½
16 " 28	1 7⅛ " 5 1	1½	4

Blinds for 2-Light Windows, Pairs and Single, Stationary and Half-Roll.

2-LIGHT WINDOWS.—*Continued.*

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight.
	Ft. In. Ft. In.	In.	
16 by 30	1 7⅛ by 5 5	1½	4
16 " 32	1 7⅛ " 5 9	1½	4½
16 " 34	1 7⅛ " 6 1	1½	4½
16 " 36	1 7⅛ " 6 5	1½	5
18 " 18	1 9⅝ " 3 5	1½	3½
18 " 20	1 9⅝ " 3 9	1½	3½
18 " 22	1 9⅝ " 4 1	1½	3½
18 " 24	1 9⅝ " 4 5	1½	3½
18 " 26	1 9⅝ " 4 9	1½	4
18 " 28	1 9⅝ " 5 1	1½	4
18 " 30	1 9⅝ " 5 5	1½	4½
18 " 32	1 9⅝ " 5 9	1½	4½
18 " 34	1 9⅝ " 6 1	1½	5
18 " 36	1 9⅝ " 6 5	1½	5½
20 " 18	1 11⅝ " 3 5	1½	3½
20 " 20	1 11⅝ " 3 9	1½	3½
20 " 22	1 11⅝ " 4 1	1½	4
20 " 24	1 11⅝ " 4 5	1½	4
20 " 26	1 11⅝ " 4 9	1½	4
20 " 28	1 11⅝ " 5 1	1½	4½
20 " 30	1 11⅝ " 5 5	1½	4½
20 " 32	1 11⅝ " 5 9	1½	5
20 " 34	1 11⅝ " 6 1	1½	5½
20 " 36	1 11⅝ " 6 5	1½	5½
22 " 24	2 1⅝ " 4 5	1½	4½
22 " 26	2 1⅝ " 4 9	1½	4½
22 " 28	2 1⅝ " 5 1	1½	5
22 " 30	2 1⅝ " 5 5	1½	5
22 " 32	2 1⅝ " 5 9	1½	5½
24 " 18	2 3⅝ " 3 5	1½	4
24 " 20	2 3⅝ " 3 9	1½	4
24 " 22	2 3⅝ " 4 1	1½	4
24 " 24	2 3⅝ " 4 5	1½	4
24 " 26	2 3⅝ " 4 9	1½	4½
24 " 28	2 3⅝ " 5 1	1½	5
24 " 30	2 3⅝ " 5 5	1½	5
24 " 32	2 3⅝ " 5 9	1½	5½
24 " 34	2 3⅝ " 6 1	1½	6

2-LIGHT WINDOWS.—*Continued.*

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight.
	Ft. In. Ft. In.	In.	
24 by 36	2 3⅜ by 6 5	1½	6½
26 " 28	2 5⅜ " 5 1	1½	....
26 " 30	2 5⅜ " 5 5	1½	....
26 " 32	2 5⅜ " 5 9	1½	....
27 " 18	2 6⅜ " 3 5	1½	....
27 " 20	2 6⅜ " 3 9	1½	....
27 " 22	2 6⅜ " 4 1	1½	....
27 " 24	2 6⅜ " 4 5	1½	....
27 " 26	2 6⅜ " 4 9	1½	....
27 " 28	2 6⅜ " 5 1	1½	....
27 " 30	2 6⅜ " 5 5	1½	....
27 " 32	2 6⅜ " 5 9	1½	....
27 " 34	2 6⅜ " 6 1	1½	....
27 " 36	2 6⅜ " 6 5	1½	....
28 " 26	2 7⅜ " 4 9	1½	....
28 " 28	2 7⅜ " 5 1	1½	....
28 " 30	2 7⅜ " 5 5	1½	....
30 " 18	2 9⅜ " 3 5	1½	....
30 " 20	2 9⅜ " 3 9	1½	....
30 " 22	2 9⅜ " 4 1	1½	....
30 " 24	2 9⅜ " 4 5	1½	....
30 " 26	2 9⅜ " 4 9	1½	....
30 " 28	2 9⅜ " 5 1	1½	....
30 " 30	2 9⅜ " 5 5	1½	....
30 " 32	2 9⅜ " 5 9	1½	....
30 " 34	2 9⅜ " 6 1	1½	....
30 " 36	2 9⅜ " 6 5	1½	....
32 " 24	2 11⅜ " 4 5	1½	....
32 " 26	2 11⅜ " 4 9	1½	....
32 " 28	2 11⅜ " 5 1	1½	....
32 " 30	2 11⅜ " 5 5	1½	....
32 " 32	2 11⅜ " 5 9	1½	....
32 " 34	2 11⅜ " 6 1	1½	....
32 " 36	2 11⅜ " 6 5	1½	....
36 " 26	3 3⅜ " 4 9	1½	....
36 " 28	3 3⅜ " 5 1	1½	....
36 " 30	3 3⅜ " 5 5	1½	....
36 " 32	3 3⅜ " 5 9	1½	....

2-LIGHT WINDOWS.—*Continued.*

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight.
	Ft. In. Ft. In.	In.	
36 by 34	3 3⅜ by 6 1	1½	....
36 " 36	3 3⅜ " 6 5	1½	....
40 " 26	3 7⅜ " 4 9	1½	....
40 " 28	3 7⅜ " 5 1	1½	....
40 " 30	3 7⅜ " 5 5	1½	....
40 " 32	3 7⅜ " 5 9	1½	....

8-LIGHT WINDOWS.

Two Lights wide, Four Lights high.

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight.
	Ft. In. Ft. In.	In.	
9 by 12	1 9⅓ by 4 5	1½	3½
9 " 13	1 9⅓ " 4 9	1½	3½
9 " 14	1 9⅓ " 5 1	1½	4
10 " 14	1 11⅓ " 5 1	1½	4
10 " 15	1 11⅓ " 5 5	1½	4½
10 " 16	1 11⅓ " 5 9	1½	4½

6-LIGHT WINDOWS.

Three Lights wide, Two Lights high.

Size of Glass.	Size of Sash.	Thickness.	No. lbs. to each weight.
	Ft. In. Ft. In.	In.	
9 by 12	2 6⅝ by 2 4½	1½	2½
9 " 13	2 6⅝ " 2 6½	1½	3
9 " 14	2 6⅝ " 2 8½	1½	3
10 " 14	2 9⅝ " 2 8½	1½	3½
10 " 15	2 9⅝ " 2 10½	1½	4

CEDAR DOORS.

Try our cedar doors, they are the best. The cedar doors possess all the merits of any door now on the market. They do not shrink, swell or warp. It admits of a handsome, natural finish and takes paint as well as pine.

CYPRESS DOORS.

We carry a stock of five-cross panels. Rift stiles and rails and dark panels. Veneered doors made to order.

A. W. HASTINGS & CO.,

Doors, Windows and Blinds,

142 FRIEND STREET, BOSTON.

15-LIGHT WINDOWS.

Size of Glass.		Thickness.
		In.
7 by 9	15 Lights.	1¼
8 " 10	15 "	1¼

SKY-LIGHTS or HOT-BED SASHES.

Size of Sash.				Size of Sash.			
Ft.	In.		Ft.	In.	Ft.	In.		Ft.	In.
2	0	by	2	6	2	6	by	3	6
2	0	"	3	0	2	6	"	4	0
2	2	"	3	2	3	0	"	4	0
2	4	"	3	4	3	0	"	5	0
2	6	"	3	0	3	0	"	6	0

The following sizes of CELLAR-SASH always on hand.

Size of Glass.				Size of Sash.				Thickness.
				Ft.	In.		Ft.	In.	In.
7	by	9	1 light.	0	10	by	1	0	1¼
8	"	10	1 "	0	11	"	1	1	1¼
9	"	12	1 "	1	0	"	1	3	1¼
9	"	13	1 "	1	0	"	1	4	1¼
10	"	14	1 "	1	1	"	1	5	1¼
10	"	15	1 "	1	1	"	1	6	1¼
10	"	16	1 "	1	1	"	1	7	1¼
7	"	9	2 "	1	5⅛	"	1	0	1¼
8	"	10	2 "	1	7⅛	"	1	1	1¼
8	"	12	2 "	1	7⅛	"	1	3	1¼
9	"	12	2 "	1	9⅛	"	1	3	1¼
9	"	13	2 "	1	9⅛	"	1	4	1¼
9	"	14	2 "	1	9⅛	"	1	5	1¼
9	"	15	2 "	1	9⅛	"	1	6	1¼
10	"	12	2 "	1	11⅛	"	1	3	1¼
10	"	13	2 "	1	11⅛	"	1	4	1¼
10	"	14	2 "	1	11⅛	"	1	5	1¼
10	"	15	2 "	1	11⅛	"	1	6	1¼
10	"	16	2 "	1	11⅛	"	1	7	1¼
10	"	17	2 "	1	11½	"	1	8	1¼

Sizes of CELLAR-SASH.—*Continued.*

Size of Glass.				Size of Sash.				Thickness.
				Ft.	In.		Ft.	In.	In.
10	"	18	2 light.	1	11⅛	by	1	9	1¼
6	"	8	3 "	1	9⅝	"	0	11	1¼
7	"	9	3 "	2	0⅝	"	1	0	1¼
8	"	10	3 "	2	3⅝	"	1	1	1¼
8	"	11	3 "	2	3⅝	"	1	2	1¼
8	"	12	3 "	2	3⅝	"	1	3	1¼
9	"	7	3 "	2	6⅝	"	0	10	1¼
9	"	9	3 "	2	6⅝	"	1	0	1¼
9	by	10	3 "	2	6⅝	"	1	1	1¼
9	"	11	3 "	2	6⅝	"	1	2	1¼
9	"	12	3 "	2	6⅝	"	1	3	1¼
9	"	13	3 "	2	6⅝	"	1	4	1¼
9	"	14	3 "	2	6⅝	"	1	5	1¼
9	"	15	3 "	2	6⅝	"	1	6	1¼
9	"	16	3 "	2	6⅝	"	1	7	1¼
9	"	17	3 "	2	6⅝	"	1	8	1¼
9	"	18	3 "	2	6⅝	"	1	9	1¼
10	"	8	3 "	2	9⅝	"	0	11	1¼
10	"	10	3 "	2	9⅝	"	1	1	1¼
10	"	12	3 "	2	9⅝	"	1	3	1¼
10	"	13	3 "	2	9⅝	"	1	4	1¼
10	"	14	3 "	2	9⅝	"	1	5	1¼
10	"	15	3 "	2	9⅝	"	1	6	1¼
10	"	16	3 "	2	9⅝	"	1	7	1¼
10	"	17	3 "	2	9⅝	"	1	8	1¼
10	"	18	3 "	2	9⅝	"	1	9	1¼
10	"	20	3 "	2	9⅝	"	1	11	1¼
11	"	14	3 "	3	0⅝	"	1	5	1¼
11	"	15	3 "	3	0⅝	"	1	6	1¼
11	"	16	3 "	3	0⅝	"	1	7	1¼
11	"	17	3 "	3	0⅝	"	1	8	1¼
11	"	18	3 "	3	0⅝	"	1	9	1¼
12	"	14	3 "	3	3⅝	"	1	5	1¼
12	"	15	3 "	3	3⅝	"	1	6	1¼
12	"	16	3 "	3	3⅝	"	1	7	1¼
12	"	18	3 "	3	3⅝	"	1	9	1¼
12	"	20	3 "	3	3⅝	"	1	11	1¼

Sizes of CELLAR-SASH.—*Continued.*

Four Lights wide, One Light high.

Size of Glass.			Size of Sash.				Thickness.
In.		In.	Ft.	In.	Ft.	In.	In.
6	by	8	2	$3\frac{3}{4}$	0	11	$1\frac{1}{4}$
7	"	9	2	$7\frac{3}{4}$	1	0	$1\frac{1}{4}$
8	"	10	3	$11\frac{3}{4}$	1	1	$1\frac{1}{4}$
8	"	12	2	$11\frac{3}{4}$	1	3	$1\frac{1}{4}$
9	"	12	3	$3\frac{3}{4}$	1	3	$1\frac{1}{4}$
9	"	13	3	$3\frac{3}{4}$	1	4	$1\frac{1}{4}$
10	"	12	3	$7\frac{3}{4}$	1	3	$1\frac{1}{4}$

Two Lights wide, Two Lights high.

Size of Glass.			Size of Sash.				Thickness.
In.		In.	Ft.	In.	Ft.	In.	In.
6	by	8	1	$3\frac{1}{2}$	1	7	$1\frac{1}{4}$
7	"	9	1	$5\frac{1}{2}$	1	9	$1\frac{1}{4}$
8	"	10	1	$7\frac{1}{2}$	1	11	$1\frac{1}{4}$
8	"	12	1	$7\frac{1}{2}$	2	3	$1\frac{1}{4}$
9	"	12	1	$9\frac{1}{2}$	2	3	$1\frac{1}{4}$
9	"	13	1	$9\frac{1}{2}$	2	5	$1\frac{1}{4}$
10	"	12	1	$11\frac{1}{2}$	2	3	$1\frac{1}{4}$
10	"	14	1	$11\frac{1}{2}$	2	7	$1\frac{1}{4}$
10	"	15	1	$11\frac{1}{2}$	2	9	$1\frac{1}{4}$

BORDER LIGHT SASH.

Size of Sash.				Thickness.
Ft.	In.	Ft.	In.	In.
2	0 by	2	0	$1\frac{1}{2}$
2	2 "	2	2	$1\frac{1}{2}$
2	4 "	2	4	$1\frac{1}{2}$
2	6 "	2	6	$1\frac{1}{2}$
2	9 "	2	9	$1\frac{1}{2}$

Glazed, with colored or plain glass.

Odd Size Windows and Blinds of all kinds made to order.

1-LIGHT SASH.

Size of Sash.				Thickness.
Ft.	In.	Ft.	In.	In.
2	0 by	2	0	$1\frac{1}{2}$
2	2 "	2	2	$1\frac{1}{2}$
2	4 "	2	4	$1\frac{1}{2}$
2	6 "	2	6	$1\frac{1}{2}$
2	9 "	2	9	$1\frac{1}{2}$

WINDOW FRAMES.

7	by	9	Plain soft pine, no pulleys.					
8	"	10	"	"	"	"	"	
8	"	12	"	"	"	"	"	
9	"	12	"	"	"	"	"	
9	"	13	"	"	"	"	"	
9	"	12	$1\frac{1}{2}$	"	"	"	"	
9	"	13	$1\frac{1}{2}$	"	"	"	"	
7	"	9	$1\frac{1}{2}$	Hard pine, pulleys and pockets.				
8	"	10	$1\frac{1}{2}$	"	"	"	"	"
8	"	12	$1\frac{1}{2}$	"	"	"	"	"
9	"	11	$1\frac{1}{2}$	"	"	"	"	"
9	"	12	$1\frac{1}{2}$	"	"	"	"	"
9	"	13	$1\frac{1}{2}$	"	"	"	"	"
9	"	14	$1\frac{1}{2}$	"	"	"	"	"
9	"	15	$1\frac{1}{2}$	"	"	"	"	"
9	"	16	$1\frac{1}{2}$	"	"	"	"	"
9	"	17	$1\frac{1}{2}$	"	"	"	"	"
9	"	18	$1\frac{1}{2}$	"	"	"	"	"
10	"	12	$1\frac{1}{2}$	"	"	"	"	"
10	"	13	$1\frac{1}{2}$	"	"	"	"	"
10	"	14	$1\frac{1}{2}$	"	"	"	"	"
10	"	15	$1\frac{1}{2}$	"	"	"	"	"
10	"	16	$1\frac{1}{2}$	"	"	"	"	"
10	"	17	$1\frac{1}{2}$	"	"	"	"	"
10	"	18	$1\frac{1}{2}$	"	"	"	"	"

We also carry all sizes of 14-in., 16-in., 18-in. and 20-in. 4-light frames.

All sizes of 2-light frames.

FRAMES FOR SINGLE SASH.

2	0	by	2	0	
2	6	"	2	6	
2	9	"	2	9	

DOOR FRAMES.

3½	1¼	1⅜	1½	..	2	8	by	6	8
4½	1¼	1⅜	1½	..					
5½	1¼	1⅜	1½	..	3	0	"	7	0
5¾	1¼	1⅜	1½	1¾					
5¾	..	..	..	1¾	5	0	"	8	0

CELLAR FRAMES.

7	by	9	3 light.	10	by	15	3 light.
8	"	10	3 "	10	"	16	3 "
8	"	12	3 "	10	"	17	3 "
9	"	12	3 "	10	"	18	3 "
9	"	13	3 "	10	"	20	3 "
9	"	14	3 "	12	"	20	3 "
9	"	15	3 "	9	"	12	6 "
10	"	12	3 "	9	"	13	6 "
10	"	13	3 "	10	"	12	6 "
10	"	14	3 "	10	"	14	6 "

Odd Size Frames. Also Frames for Brick Buildings made to order at short notice.

D'Arcy & Sons
Haymarket Rog=

Johnsons T. D.
Washington St.

5 columns of Solid
10 in

Rail
2 pcs 7 ft
2 " 12½ ft } Top + bottom

Balusters —
78

Door 5 cross panel

Front Door
2 - 10 x 6 - 10 x 1¾

Cushion
7½ x 21 in

Milk Can 8.10
2 Stanchions 1.30
Cot Hammock 10.50
Fly Net —